


**Description**

A minimalist and expressive coat rack made of six poles held by a metal ring. Coat can be hung with the notch facing inwards or outwards – as you prefer. Coat is easy to dismantle to store and to then unfold again to be placed wherever you need it.



---

**Dimensions**

Ø 46 cm, H 165 cm (unfolded)

---

**Weight**

4.5 kg

---

**Packaging type**

Assembled in tube.

---

**Number of parcels**

1

---

**Packaging dimensions**

Ø 12.5 cm, H 174 cm

---

**Packaging weight**

6 kg

---

**Materials****Ring:**

- Satin black
- Polished aluminium
- Brass

**Structure:**

- Black lacquered ash
- White oiled ash

### Before recycling

---

It is always recommended to reuse or repair before recycling, to prolong the use-phase of the product. If the product should be recycled, please use the following instructions.

### Overview of materials

---

The table below shows the different materials used for production of COAT.

WOOD	Ash
PLASTIC RING	POM
METAL RING	Aluminium, steel or brass
PINOL SCREWS	Galvanized steel

### Recycling instructions

---

Lift the metal ring upwards to remove it. Unscrew the pinol screws in the POM ring. Remove the POM ring.

The materials are sorted and recycled using the instructions at the recycling facility.

#### White oiled ash

---

Coat must never be placed next to a heat source, and should always avoid extended exposure to sunlight. For cleaning, use lukewarm water on a wringed clean cloth for cleaning, always without the use of chemicals.

The wood might change color over time. Coat is made of white ash treated with oil and can easily be refreshed by using a white oil in order to retain the naturally warm sheen of the wood. Oil treated wood is soil repellent. To avoid the wood from drying out Coat should be oiled regularly.

#### Black lacquered ash

---

Coat must never be placed next to a heat source, and should always avoid extended exposure to sunlight. For cleaning, use lukewarm water on a wringed clean cloth for cleaning, always without the use of chemicals.

Coat in black ash is stained and lacquered and demands no further treatment.

#### Ring

---

The solid aluminum ring has been polished. The solid black steel ring has been oxidized to give it the satin look. The rings should only be polished with a wringed clean cloth with lukewarm water

COAT

HAT & COAT STAND

COLOUR OVERVIEW



Poles: Black lacquered ash  
Ring: Satin black



Poles: Black lacquered ash  
Ring: Brass



Poles: Black lacquered ash  
Ring: Polished aluminium



Poles: White oiled ash  
Ring: Polished aluminium



Poles: White oiled ash  
Ring: Brass